



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
GenRock 2K Series									
600	CLEAR	57.60	1.018	8.498	0.00%	424.2	3.54	424.2	3.54
601	CONCENTRATED WHITE	70.00	1.358	11.333	0.00%	401.5	3.35	401.5	3.35
602	MIXING WHITE	63.70	1.150	9.597	0.00%	409.5	3.42	409.5	3.42
611	LUMINOUS BLUE	54.60	1.000	8.345	0.00%	446.8	3.73	446.8	3.73
612	MIXING BLUE	56.70	0.992	8.278	0.00%	421.9	3.52	421.9	3.52
613	DEEP BLUE	52.80	1.001	8.353	0.00%	465.9	3.89	465.9	3.89
621	LUMINOUS GREEN	49.10	1.002	8.362	0.00%	509.1	4.25	509.1	4.25
622	MIXING GREEN	55.80	1.010	8.428	0.00%	439.5	3.67	439.5	3.67
624	GOLDEN GREEN	53.20	1.031	8.604	0.00%	474.4	3.96	474.4	3.96
626	LEMON GREEN	52.70	0.998	8.328	0.00%	465.2	3.88	465.2	3.88
631	LEMON YELLOW	67.60	1.321	11.024	0.00%	419.4	3.50	419.4	3.50
632	MEDIUM YELLOW	67.50	1.321	11.024	0.00%	425.5	3.55	425.5	3.55
633	MEDIUM YELLOW	57.40	1.020	8.512	0.00%	425.5	3.55	423.3	3.53
634	TRANSPARENT YELLOW	51.20	1.007	8.403	0.00%	488.4	4.08	488.4	4.08
635	OXIDE YELLOW	60.10	1.108	9.246	0.00%	434.1	3.62	434.1	3.62
636	MOLYBDATE ORANGE	57.50	1.102	9.196	0.00%	464.5	3.88	464.5	3.88
637	ORANGE	58.20	1.020	8.512	0.00%	416.4	3.48	413.8	3.45
638	LIGHT YELLOW	62.30	1.160	9.680	0.00%	426.7	3.56	423.7	3.54
639	BRILLIANT YELLOW	52.50	1.007	8.403	0.00%	476.0	3.97	476.0	3.97
640	MOLYBDATED RED	64.70	1.330	11.099	0.00%	468.3	3.91	468.3	3.91
641	LIGHT RED	52.00	1.000	8.345	0.00%	477.3	3.98	477.3	3.98
643	LUMINOUS RED	53.80	1.002	8.362	0.00%	460.2	3.84	460.2	3.84
645	OXIDE RED	61.00	1.144	9.547	0.00%	444.6	3.71	444.6	3.71
647	PURPLE	50.80	0.985	8.220	0.00%	482.8	4.03	482.8	4.03
648	MIXING PURPLE	56.90	0.986	8.228	0.00%	417.8	3.49	417.8	3.49
652	DARK BROWN	53.60	0.966	8.061	0.00%	446.2	3.72	697.1	3.72



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
653	OXYDE GOLDEN BROWN	54.70	1.065	8.887	0.00%	468.9	3.91	468.9	3.91
655	RUBY RED	54.70	1.001	8.360	0.00%	452.6	3.78	452.6	3.78
659	GRENATE	54.00	1.008	8.412	0.00%	462.1	3.86	462.1	3.86
666	MATTING AGENT	10.70	0.927	7.736	0.00%	828.0	6.91	828.0	6.91
681	CARBON BLACK	55.50	1.019	8.504	0.00%	451.5	3.77	451.5	3.77
682	MIXING BLACK	58.00	0.998	8.328	0.00%	418.8	3.50	418.8	3.50
683	STANDARD BLACK	48.80	0.992	8.284	0.00%	510.4	4.26	510.4	4.26
691	METALLIC BASE	56.40	0.981	8.186	0.00%	424.7	3.54	424.7	3.54
692	METALLIC BASE COARSE	57.30	0.989	8.253	0.00%	413.6	3.45	413.6	3.45
696	METALLIC BASE FINE	55.80	0.990	8.262	0.00%	437.9	3.65	437.9	3.65
697	METALLIC BASE MEDIUM FINE	57.30	0.998	8.328	0.00%	420.1	3.51	420.1	3.51
809	2K PLASTICIZER MATT	46.80	1.032	8.612	0.00%	537.9	4.49	537.9	4.49
810	2K PLASTICIZER GLOSS	56.30	1.002	8.367	0.00%	420.9	3.51	420.9	3.51
9005	2K DEEP BLACK	47.60	0.992	8.278	0.00%	504.4	4.21	504.4	4.21
B200	AUTUMN MYSTERY	25.30	0.965	8.053	0.00%	720.5	6.01	720.5	6.01
B300	VIOLA FANTASY	25.30	0.965	8.053	0.00%	720.5	6.01	720.5	6.01

GenRock BC Series

574	MYSTIC VIOLET	26.90	0.965	8.053	0.00%	705.5	5.89	705.5	5.89
577	GREEN-ROSE EXTREME	26.90	0.965	8.053	0.00%	705.5	5.89	705.5	5.89
599	METALLITE ALUMINUM	24.70	0.950	7.928	0.00%	715.3	5.97	715.3	5.97
700	BC CLEAR	28.90	0.955	7.969	0.00%	678.7	5.66	678.7	5.66
701	CONCENTRATED WHITE	55.00	1.260	10.515	0.00%	567.7	4.74	567.7	4.74
702	WHITE	40.80	1.164	9.714	0.00%	689.7	5.76	689.7	5.76
710	SHADOW WHITE	29.40	0.992	8.278	0.00%	700.2	5.84	700.2	5.84
711	BC LUMINOUS BLUE	27.30	0.972	8.111	0.00%	706.6	5.90	706.6	5.90
715	RADIANT BLUE	25.30	0.966	8.061	0.00%	721.8	6.02	721.8	6.02
716	BRILLIANT BLUE	21.70	0.942	7.861	0.00%	739.1	6.17	739.1	6.17



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
717	GREENISH BLUE	29.80	0.962	8.028	0.00%	675.4	5.64	675.4	5.64
718	REDDISH BLUE	23.90	0.953	7.953	0.00%	725.3	6.05	725.3	6.05
721	LUMINOUS GREEN	33.20	0.984	8.211	0.00%	657.6	5.49	657.6	5.49
724	GOLDEN GREEN	27.20	1.000	8.345	0.00%	728.3	6.08	728.3	6.08
726	BC LEMON GREEN	26.00	0.961	8.020	0.00%	712.3	5.94	712.3	5.94
729	BRIGHT YELLOW	22.90	0.962	8.028	0.00%	723.3	6.04	723.3	6.04
731	BC LEMON YELLOW	37.90	1.117	9.321	0.00%	713.7	5.96	713.7	5.96
733	BC MEDIUM YELLOW	28.40	0.950	7.928	0.00%	680.2	5.68	680.2	5.68
734	TRANSPARENT YELLOW	24.70	0.967	8.070	0.00%	729.0	6.08	729.0	6.08
735	BC OXIDE YELLOW	28.50	1.029	8.590	0.00%	735.5	6.14	735.5	6.14
736	BC MOLYBDATE ORANGE	32.40	1.060	8.846	0.00%	716.6	5.98	716.6	5.98
737	ORANGE	23.10	0.946	7.894	0.00%	726.8	6.07	726.8	6.07
738	LIGHT YELLOW	29.60	1.010	8.428	0.00%	711.1	5.93	711.1	5.93
739	BRILLIANT YELLOW	22.90	0.942	7.861	0.00%	727.3	6.07	727.3	6.07
745	BC OXIDE RED	29.90	1.040	8.679	0.00%	728.8	6.08	728.8	6.08
746	BRIGHT RED	27.80	0.960	8.011	0.00%	685.2	5.72	685.2	5.72
747	BC PURPLE	23.20	0.949	7.919	0.00%	729.8	6.09	729.8	6.09
749	FULGURANT RED	23.90	0.959	8.003	0.00%	729.4	6.09	729.4	6.09
752	DARK BROWN	27.70	0.964	8.045	0.00%	697.1	5.82	697.1	5.82
753	TRANSPARENT OXIDE RED	37.60	0.992	8.278	0.00%	620.6	5.18	620.6	5.18
754	OXIDE TRANSPARENT YELLOW	31.50	0.980	8.178	0.00%	672.6	5.61	672.6	5.61
755	BC RUBY RED	24.30	0.947	7.903	0.00%	717.9	5.99	717.9	5.99
756	PURE MAROON	27.80	0.958	7.995	0.00%	692.8	5.78	692.8	5.78
758	BRILLIANT RED	27.50	0.960	8.011	0.00%	695.7	5.81	695.7	5.81
759	BASECOAT GRENADE	24.10	0.942	7.861	0.00%	716.1	5.98	716.1	5.98
762	PEARL LUSTRE WHITE	27.40	0.984	8.211	0.00%	713.9	5.96	713.9	5.96
764	ORANGE DOME	28.40	0.984	8.211	0.00%	728.8	6.08	728.8	6.08
766	PEARL BLUE FINE	27.40	0.984	8.211	0.00%	713.9	5.96	713.9	5.96
767	PEARL BLUISH GREEN	27.40	0.984	8.211	0.00%	713.9	5.96	713.9	5.96



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
768	PEARL RED VIOLET	27.40	0.984	8.211	0.00%	713.9	5.96	713.9	5.96
769	SATIN WHITE FINE	26.70	0.984	8.211	0.00%	721.4	6.02	721.4	6.02
770	PEARL COPPER	27.30	0.984	8.211	0.00%	715.6	5.97	715.6	5.97
771	GOLD DOME	28.40	0.984	8.211	0.00%	728.8	6.08	728.8	6.08
772	PEARL WHITE	28.00	0.965	8.053	0.00%	694.7	5.80	694.7	5.80
773	PEARL GOLD	27.60	0.965	8.053	0.00%	698.5	5.83	698.5	5.83
774	PEARL VIOLET	27.20	0.984	8.211	0.00%	716.1	5.98	716.1	5.98
775	FINE RUSSET	28.00	0.962	8.028	0.00%	692.6	5.78	692.6	5.78
776	SPARKLE RED	26.50	0.969	8.088	0.00%	712.2	5.94	712.2	5.94
777	PEARL GREEN	27.00	0.984	8.211	0.00%	718.1	5.99	718.1	5.99
778	PEARL BLUE	28.10	0.965	8.053	0.00%	694.1	5.79	694.1	5.79
779	PEARL RED	27.90	0.984	8.211	0.00%	709.2	5.92	709.2	5.92
781	BC CARBON BLACK	23.40	0.950	7.928	0.00%	727.2	6.07	727.2	6.07
783	BC STANDARD BLACK	21.90	0.930	7.761	0.00%	726.4	6.06	726.4	6.06
784	BC DEEP BLACK	25.30	0.938	7.828	0.00%	700.9	5.85	700.9	5.85
787	BC DEEP BLACK	25.30	0.938	7.828	0.00%	700.9	5.85	700.9	5.85
793	METALLIC BASE VERY COARSE	27.10	0.975	8.136	0.00%	710.4	5.93	710.4	5.93
794	METALIC BASE COARSE	27.60	0.956	7.978	0.00%	705.4	5.89	705.4	5.89
795	BC METALLIC BASE FINE	24.80	0.950	7.929	0.00%	719.9	6.01	719.9	6.01
798	BC METALLIC BASE MEDIUM FINE	27.20	0.976	8.145	0.00%	709.9	5.92	709.9	5.92
799	METALLIC BASE SUPER FINE	23.90	0.982	8.195	0.00%	732.4	6.11	732.4	6.11
850	BASECOAT BINDER	22.20	0.943	7.869	0.00%	733.4	6.14	733.4	6.14
860	METALLIC ADDITIVE	24.00	0.962	8.028	0.00%	731.3	6.10	731.3	6.10
870	XIRALLIC COPPER	25.70	0.958	7.995	0.00%	711.5	5.94	711.5	5.94
872	XIRALLIC WHITE	25.70	0.962	8.036	0.00%	714.5	5.96	714.5	5.96
873	XIRALLIC GOLD	25.70	0.963	8.036	0.00%	715.2	5.97	715.2	5.97
875	XIRALLIC RED	25.70	0.961	8.020	0.00%	713.8	5.96	713.8	5.96
877	XIRALLIC GREEN	25.70	0.962	8.028	0.00%	714.5	5.96	714.5	5.96
878	XIRALLIC BLUE	25.70	0.962	8.028	0.00%	714.5	5.96	714.5	5.96



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
894	SILVER DOLLAR COARSE	24.40	0.954	7.961	0.00%	721.2	6.02	721.2	6.02
898	SILVER DOLLAR FINE	24.50	0.951	7.936	0.00%	717.6	5.99	717.6	5.99

Gen20 WB Series

274	VIOLET EXTREME	17.90	1.045	8.721	72.70%	388.4	3.24	93.3	0.78
277	GREEN-ROSE	17.90	1.045	8.721	72.70%	388.4	3.24	93.3	0.78
350	FLOP MODIFIER	19.60	1.010	8.429	70.20%	332.6	2.78	96.6	0.81
360	METALLIC ADDITIVE	35.40	1.075	7.971	57.90%	241.8	2.02	91.2	0.76
370	XIRALLIC COPPER	20.30	1.095	9.138	71.30%	405.0	3.38	88.8	0.74
372	XIRALLIC WHITE	20.30	1.095	9.138	71.40%	405.4	3.38	88.6	0.74
373	XIRALLIC GOLD	20.30	1.085	9.054	71.30%	388.7	3.24	88.0	0.73
375	XIRALLIC RED	21.00	1.085	9.054	70.30%	383.7	3.20	91.1	0.76
377	XIRALLIC GREEN	20.70	1.075	8.971	70.20%	383.1	3.20	93.9	0.78
378	XIRALLIC BLUE	20.80	1.085	9.054	69.60%	412.9	3.45	101.0	0.84
394	SILVER DOLLAR COARSE	18.20	1.035	8.637	71.50%	400.5	3.34	104.2	0.87
395	SILVER DOLLAR EXTRA FINE	17.70	1.035	8.637	72.40%	397.8	3.32	99.8	0.83
398	SILVER DOLLAR FINE	16.00	1.025	8.558	74.60%	400.3	3.34	93.9	0.78
900	CLEAR	25.20	1.050	8.762	65.20%	285.3	2.38	90.0	0.75
902	WHITE	39.60	1.185	9.889	51.80%	234.7	1.96	90.7	0.76
910	SHADOW WHITE	27.30	1.050	8.762	63.50%	257.1	2.15	85.7	0.72
911	LUMINOUS BLUE	24.80	1.060	8.846	67.10%	254.2	2.12	73.5	0.61
913	PURE BLUE	22.70	1.040	8.679	69.90%	239.5	2.00	65.4	0.55
916	BRILLIANT BLUE	22.70	1.053	8.787	68.20%	248.1	2.07	69.9	0.58
918	REDDISH BLUE	26.50	1.047	8.737	65.80%	221.2	1.85	68.9	0.57
921	LUMINOUS GREEN	24.40	1.060	8.846	66.20%	282.4	2.36	84.3	0.7
924	GOLDEN GREEN	24.60	1.075	8.971	66.60%	277.6	2.32	78.8	0.66
933	MEDIUM YELLOW	30.60	1.036	8.645	59.50%	235.5	1.96	90.3	0.75
934	TRANSPARENT YELLOW	25.70	1.047	8.737	66.50%	232.5	1.94	70.6	0.59



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
935	OXIDE YELLOW	29.90	1.062	8.862	60.50%	260.4	2.17	93.1	0.78
936	MIXING YELLOW	25.80	1.051	8.775	64.60%	281.7	2.35	90.4	0.75
937	ORANGE	30.60	1.030	8.595	59.20%	235.0	1.96	91.6	0.76
938	LIGHT YELLOW	37.20	1.210	10.097	54.20%	259.4	2.16	89.3	0.75
945	OXIDE RED	29.00	1.075	8.971	59.80%	307.3	2.56	109.8	0.92
946	MIXING OXYDE RED	25.70	1.053	8.789	64.50%	288.4	2.41	92.5	0.77
947	PURPLE	23.40	1.010	8.428	70.20%	172.5	1.44	50.1	0.42
948	MIXING PURPLE	24.90	1.043	8.710	66.00%	268.4	2.24	83.5	0.7
949	FULGURANT RED	30.70	1.032	8.612	60.40%	206.1	1.72	77.6	0.65
951	LEMON YELLOW	26.90	1.032	8.612	64.00%	244.6	2.04	83.0	0.69
953	GOLDEN BROWN	23.80	1.089	9.088	65.30%	301.5	2.52	87.2	0.73
955	RUBY RED	29.80	1.072	8.946	61.30%	243.4	2.03	83.3	0.7
956	PURE MAROON	27.70	1.050	8.762	63.90%	230.7	1.92	75.9	0.63
957	BRILLIANT MAROON	27.60	1.047	8.737	63.50%	238.6	1.99	80.0	0.67
958	BRILLIANT RED	28.20	1.038	8.662	62.30%	245.5	2.05	86.8	0.72
959	GRENATE	25.90	1.010	8.428	65.30%	217.3	1.81	73.9	0.62
962	PEARL LUSTRE WHITE	23.10	1.118	9.330	69.20%	366.2	3.06	82.7	0.69
964	ORANGE DOME	21.80	1.020	8.512	70.40%	367.2	3.06	103.3	0.86
966	PEARL BLUE FINE	26.50	1.120	9.346	63.40%	378.8	3.16	109.9	0.92
967	BLUISH GREEN PEARL	22.50	1.092	9.113	68.70%	376.4	3.14	94.2	0.79
968	PEARL RED VIOLET	21.20	1.074	8.963	70.30%	361.2	3.01	88.3	0.74
969	PEARL WHITE FINE	24.50	1.097	9.154	66.30%	359.4	3.00	98.0	0.82
970	PEARL COPPER	23.20	1.075	8.971	64.90%	411.8	3.44	124.5	1.04
971	GOLD DOME	21.80	1.020	8.512	70.40%	367.2	3.06	103.3	0.86
972	PEARL WHITE	22.60	1.065	8.887	69.60%	307.8	2.57	79.5	0.66
973	PEARL GOLD	23.10	1.108	9.246	68.00%	384.7	3.21	94.7	0.79
974	PEARL VIOLET	23.80	1.060	8.846	67.10%	323.3	2.70	93.2	0.78
975	FINE RUSSET	28.10	1.080	9.013	62.40%	305.6	2.55	99.5	0.83
976	SPARKLE RED	23.50	1.119	9.338	67.50%	400.8	3.34	98.3	0.82



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
977	PEARL GREEN	20.80	1.098	9.163	72.10%	360.5	3.01	75.3	0.63
978	PEARL BLUE	21.00	1.104	9.213	71.30%	385.8	3.22	82.0	0.68
979	PEARL RED	23.20	1.101	9.188	67.30%	390.9	3.26	101.3	0.85
981	CARBON BLACK	26.80	1.010	8.428	61.00%	291.7	2.43	111.9	0.93
982	MIXING BLACK	25.40	1.044	8.718	64.60%	286.5	2.39	93.0	0.78
983	EBONY BLACK	24.30	1.035	8.637	65.90%	282.8	2.36	90.0	0.75
984	DEEP BLACK	26.90	1.070	8.929	63.40%	245.1	2.05	78.7	0.66
985	STANDARD BLACK	23.40	1.035	8.637	65.80%	315.8	2.64	100.7	0.84
986	GRAYISH BLACK	24.10	1.027	8.570	63.10%	340.4	2.84	119.8	1
987	DEEP BLACK	26.90	1.070	8.929	63.40%	245.1	2.05	78.7	0.66
992	SPARKLE METALLIC	17.40	1.030	8.595	72.60%	399.7	3.34	100.9	0.84
993	METALLIC EXTRA COARSE	18.90	1.057	8.821	73.90%	357.2	2.98	78.0	0.65
994	METALLIC COARSE	16.70	1.049	8.754	74.20%	416.0	3.47	92.0	0.77
995	METALLIC FINE	17.60	1.025	8.554	73.20%	368.7	3.08	92.2	0.77
998	METALLIC MEDIUM	17.60	1.032	8.612	73.20%	379.0	3.16	92.8	0.77

Clears

1000HS	CLEAR TOP COAT HS	53.10	1.013	8.451	0.00%	461.0	3.85	461.0	3.85
1000SR	SCRATCH RESISTANT CLEAR	53.10	1.013	8.451	0.00%	461.0	3.85	461.0	3.85
2000	2.1 VOC GLAMOUR CLEAR	41.90	1.066	8.896	0.00%	285.7	2.38	175.1	1.46
4000	4.2 VOC GLAMOUR CLEAR	47.20	0.978	8.159	0.00%	501.8	4.19	501.8	4.19
5000	SUPER FAST CLEAR	45.60	0.980	8.178	0.00%	520.3	4.34	520.3	4.34
5000M	2K CLEAR SATIN GLOSS	45.20	0.991	8.270	0.00%	531.1	4.43	531.1	4.43
6000HS	2K HS CLEAR TOP COAT	52.50	0.985	8.220	0.00%	453.2	3.78	453.2	3.78
6000M	2K CLEAR MATT	49.60	1.005	8.387	0.00%	494.1	4.12	494.1	4.12
7200	L.E. CLEAR	53.40	0.979	8.170	0.00%	427.5	3.57	427.5	3.56
7500	EXPRESS L.E. CLEAR	52.10	0.961	8.020	0.00%	429.6	3.59	429.6	3.58



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
5500	AIR BAKE SR CLEAR	30.30	0.923	7.702	0.00%	551.1	4.60	363.7	3.04
7700	ULTRA PERFORMANCE CLEAR	76.20	1.050	8.762	0.00%	241.7	2.02	241.7	2.02

Hardeners

9732	WASH PRIMER HARDENER	-	0.806	6.726	68.50%	760.0	6.34	213.6	1.78
9961	2K PRIMER HARDENER	44.40	1.042	8.702	0.00%	579.6	4.84	579.6	4.84
H200	2K HARDENER SUPER FAST	40.10	0.996	8.316	0.00%	604.3	5.04	604.3	5.04
H444	2K RMC HARDENER SUPER FAST	40.30	0.996	8.312	0.00%	600.9	5.01	600.9	5.01
H500	2K HARDENER FAST	50.70	1.026	8.570	0.00%	514.2	4.29	514.2	4.29
H555	2K RMC HARDENER FAST	36.50	0.989	8.260	0.00%	634.0	5.29	634.0	5.29
H600	2K HARDENER NORMAL	47.60	0.980	8.178	0.00%	511.3	4.27	511.3	4.27
H666	2K RMC HARDENER NORMAL	37.00	0.955	7.969	0.00%	601.2	5.02	601.2	5.02
H700	2K HARDENER SLOW	47.70	1.012	8.445	0.00%	528.3	4.41	528.3	4.41
H750	2K HARDENER EXTRA SLOW	47.70	1.005	8.387	0.00%	524.5	4.38	524.5	4.38
H760	2K HARDENER SPECIAL	47.60	1.010	8.428	0.00%	527.8	4.40	527.8	4.40
H777	2K RMC HARDENER SLOW	36.90	0.985	8.220	0.00%	620.2	5.18	620.2	5.18
H800	2K HARDENER	60.40	1.045	8.727	0.00%	413.2	3.45	413.2	3.45
H820	2K L.E. HARDENER FAST	61.80	1.008	8.412	0.00%	389.4	3.25	389.4	3.25
H888	2K HARDENER EXTRA SLOW	62.80	1.037	8.654	0.00%	651.0	5.43	651.0	5.43
H899	2K SPECIAL HARDENER	62.80	1.037	8.654	0.00%	652.7	5.45	652.7	5.45
H900	2K L.E. HARDENER NORMAL	62.80	1.037	8.654	0.00%	383.9	3.20	383.9	3.20
H909	GENPOX HARDENER	75.20	1.055	8.804	0.00%	262.1	2.19	262.1	2.19
H920	2K L.E. HARDENER SLOW	61.80	1.003	8.370	0.00%	381.8	3.19	381.8	3.19
H960	2K L.E. HARDENER EXTRA SLOW	61.80	1.007	8.403	0.00%	383.5	3.20	383.5	3.20
H999	2K L.E. HARDENER EXTRA SLOW +	61.80	1.020	8.512	0.00%	387.0	3.22	387.0	3.22
WH1	WATERBORNE HARDENER	65.00	1.060	8.827	0.00%	1.1	0.01	0.0	0.00

Primers



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
3362	2K RAPID PRIMER GREY	72.90	1.630	13.602	0.00%	441.0	3.68	441.0	3.68
4460	2K RAPID PRIMER YELLOW	74.70	1.630	13.602	0.00%	406.8	3.40	406.8	3.40
4462	2K RAPID PRIMER GREY	73.10	1.633	13.627	0.00%	430.5	3.59	430.5	3.59
4463	2K RAPID PRIMER BLACK	75.30	1.465	12.225	0.00%	357.7	2.99	357.7	2.99
4464	2K RAPID PRIMER WHITE	74.70	1.630	13.602	0.00%	406.6	3.39	406.6	3.39
4465	2K RAPID PRIMER RED	73.10	1.633	13.627	0.00%	430.5	3.59	430.5	3.59
4466	2K RAPID PRIMER DARK GREY	74.70	1.487	12.409	0.00%	370.8	3.09	370.8	3.09
5462	2K WET ON WET PRIMER	68.70	1.395	11.641	0.00%	428.7	3.58	428.7	3.58
9700	WASH PRIMER	42.00	1.097	9.159	1.69%	631.2	5.27	619.5	5.17
9900	UNIVERSAL PRIMER GREY	51.70	1.245	10.390	0.00%	557.2	4.65	556.6	4.65
9960	2K PRIMER BEIGE	75.30	1.660	13.903	0.00%	379.7	3.17	379.7	3.17
9962	2k PRIMER GREY	75.30	1.663	13.878	0.00%	379.0	3.16	379.0	3.16
9963	2K PRIMER BLACK	75.30	1.500	12.518	0.00%	341.8	2.85	341.8	2.85
9964	2K PRIMER WHITE	75.30	1.647	13.744	0.00%	375.3	3.13	375.3	3.13
9965	2K PRIMER RED	75.30	1.580	13.185	0.00%	360.1	3.00	360.1	3.00
9982	EASY PRIMER GREY	44.40	1.043	8.702	0.00%	579.6	4.84	579.6	4.84
800TS	TINTABLE SEALER	42.30	1.090	9.096	0.00%	628.7	5.25	628.0	5.25
G908	GENPOX ISOLATING EPOXY PRIMER	74.50	1.570	13.102	0.00%	400.3	3.34	400.3	3.34

Thinners

S2040	P.U. THINNER SLOW	-	0.938	7.831	0.00%	938.4	7.83	938.4	7.83
S2050	P.U.THINNER EXTRA SLOW	-	0.915	7.633	0.00%	914.7	7.63	914.7	7.63
S711	P.U.THINNER NORMAL	-	0.852	7.110	0.00%	852.0	7.11	852.0	7.11
S719	P.U.THINNER FAST	-	0.880	7.344	0.00%	880.0	7.34	880.0	7.34
S721	P.U. THINNER SLOW	-	0.906	7.557	0.00%	905.6	7.56	905.6	7.56
S811	P.U. THINNER NORMAL	-	0.852	7.110	0.00%	852.0	7.11	852.0	7.11
S821	P.U. THINNER SLOW	-	0.879	7.337	0.00%	879.2	7.34	879.2	7.34



CODE	NAME	% solids by weight	Specific Gravity	lbs/gal	% total exempt	coating voc g/l	coating voc lbs/gal	material voc g/l	material voc lbs/gal
S110	WATERBORNE REDUCER SPECIAL	2.30	1.007	8.402	97.70%	0.0	0.00	0.0	0.00
S120	DEMINERALIZED WATER	-	1.000	8.345	100.00%	0.0	0.00	0.0	0.00
S910	GENPOX THINNER	-	0.785	6.551	0.00%	785.0	6.55	785.0	6.55

Putties

G101	1K FELLER BEIGE	68.80	1.510	12.601	0.00%	433.5	3.62	433.5	3.62
G77G	POLYESTER PUTTY GREY	89.00	1.820	15.188	0.00%	623.0	5.20	623.0	5.20
G77Y	POLYESTER PUTTY YELLOW	89.00	1.820	15.188	0.00%	199.9	1.67	199.9	1.67
G78	FIBRE GLASS	83.30	1.490	12.434	0.00%	248.8	2.08	248.8	2.08
G79	FIBRE GLASS PUTTY FINE	83.30	1.490	12.534	0.00%	248.8	2.08	248.8	2.08
G80G	EASY POLYESTER PUTTY GREY	88.70	1.820	15.188	0.00%	204.8	1.71	204.8	1.71
G80Y	EASY POLYESTER PUTTY BEIGE	88.70	1.820	15.188	0.00%	204.8	1.71	204.8	1.71

Ancillaries

8241	GENCLEAN	-	0.807	6.737	0.00%	807.3	6.74	807.3	6.74
8340	GENFLEX PLASTIC PRIMER	5.50	0.885	7.385	0.00%	835.6	6.97	835.6	6.97
8350	GENFLEX PLASTIC PRIMER TRANSPARENT	5.50	0.885	7.385	0.00%	835.6	6.97	835.6	6.97
8620	2K ACCELERATOR	-	0.882	7.360	0.00%	871.3	7.27	871.3	7.27
8688	ANTISILICONE	9.10	0.880	7.344	0.00%	800.0	6.66	800.0	6.66
9340	ADHESION PROMOTER	5.50	0.860	7.177	0.00%	540.0	4.51	540.0	4.51
S135	TOUCH-UP WATERBORNE	19.80	1.017	8.483	73.50%	259.9	2.17	65.8	0.55
S1918	TOUCH UP BICOAT	14.80	0.925	7.719	0.00%	788.5	6.57	788.5	6.57
S2012	TOUCH UP MONOCOAT	4.10	0.887	7.409	0.00%	851.6	7.09	851.6	7.09
S222	WATERBORNE CLEANER	-	0.957	7.986	80%	816.6	6.81	191.4	1.60